





KWC

F3E Electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1004

Taps | Electronic taps



KWC-No.

2030036177

2030040224

with flow regulator 3.0 l/min

volume flow rate at 3 bar

0.1 l/s

0.05 l/s

F3E bib tap DN 15 for wall mounting for sanitary facilities, opto-electronically controlled. For connection to pre-mixed hot or cold water. Control electronics, solenoid valve cartridge, 6 V lithium battery (CR-P2) and sensor in all-metal housing, high-polished chromium-plated brass. Aerator with integrated flow regulator 6.0

l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control.

Technical Data

with backflow preventer
calculation flow rate cold wat
compatible A3000 open
default automatic hygiene flus
depressurised
with filter
functional principle
hygiene flushing
diameter nominal
Locking mechanism
material fitting
minimum flow pressure
type of mixing
number of batteries
Parameterization
Pop-up waste set
power supply connection
power consumption
Type of power supply
protective system IP
with rosettes/cover plate
protective shutdown
sound insulation
Spout

no
0.1 l/s
no
24h after the last activity
no
yes
electronic self-closing
yes
DN 15
Top section, non-ceramic
brass-look
1 bar
no
1
remote control
no
Battery 6 V
1.5 Voltampere
Battery
IP59K
no
yes
no
fixed





KWC
F3E Electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1004
Taps | Electronic taps

spout projection	130 mm
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	no
thermal disinfection	automatic thermal disinfection
with transformer/power supply	no
type of batteries	CR-P2 Lithium battery 6V
type of mounting	wall mounting
type of operation	sensor operation
type of sensor	opto-electronic sensor
type of tap	bib tap
volume flow rate at 3 bar	0.1 l/s
water connection	threaded connection (external)
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



**Bidirectional remote control for
electronical fittings F3 and F5**

2030036654
ACEX9005

**2-button remote control for fittings F3
and F5**


2030036849
ACEX9004

Aerator

2000101160
ZAQUA087

3.0 l/min. aerator

2030041424
ASXX1008



Extension adapter for F3E bib tap


2030043823
ACEV1001



KWC
F3E Electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1004
Taps | Electronic taps

Spare Parts



Cover cap

2030049344
ASEV1004




Lithium battery 6 V

2000104846
EPRTR0008




Foil

2030049346
ASEV1005



Solenoid valve cartridge

2030045522
ACXX9002




Sensor, ID 01/00001

2030041447
ASEX1001




Aerator 6.0 l/min

2000104691
ASXX1015




Spare part set

2030042426
ASEX1011



Service set

2030049348
ASEV1006



O-ring, red

2030042439
ASEV1002



O-ring, blue

2030042440
ASEV1002