



KWC

F3E Electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1004

Taps | Electronic taps



KWC-No.

2030036177

2030040224

with flow regulator 3.0 l/min

volume flow rate at 3 bar

0.1 l/s

0.05 l/s

F3E bib tap DN 15 for wall mounting for sanitary facilities, opto-electronically controlled. For connection to pre-mixed hot or cold water. Control electronics, solenoid valve cartridge, 6 V lithium battery (CR-P2) and sensor in all-metal housing, high-polished chromium-plated brass. Aerator with integrated flow regulator 6.0

l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control.

Technical Data

with backflow preventer

no

calculation flow rate cold wat

0.1 l/s

compatible A3000 open

no

default automatic hygiene flus

24h after the last activity

depressurised

no

with filter

yes

functional principle

electronic self-closing

hygiene flushing

yes

diameter nominal

DN 15

Locking mechanism

Top section, non-ceramic

material fitting

brass

minimum flow pressure

1 bar

type of mixing

no

number of batteries

1

Parameterization

remote control

Pop-up waste set

no

power supply connection

Battery 6 V

power consumption

1.5 Voltampere

Type of power supply

Battery

protective system IP

IP59K

with rosettes/cover plate

no

protective shutdown

yes

sound insulation

no

Spout

fixed




KWC
F3E Electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1004
Taps | Electronic taps

spout projection	130 mm
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	no
thermal disinfection	automatic thermal disinfection
with transformer/power supply	no
type of batteries	CR-P2 Lithium battery 6V
type of mounting	wall mounting
type of operation	sensor operation
type of sensor	opto-electronic sensor
type of tap	bib tap
volume flow rate at 3 bar	0.1 l/s
water connection	threaded connection (external)
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



**Bidirectional remote control for
electronical fittings F3 and F5**

2030036654
ACEX9005

**2-button remote control for fittings F3
and F5**


2030036849
ACEX9004

Aerator

2000101160
ZAQUA087

3.0 l/min. aerator

2030041424
ASXX1008



Extension adapter for F3E bib tap


2030043823
ACEV1001



KWC
F3E Electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1004
Taps | Electronic taps

Spare Parts



Cover cap

2030049344
ASEV1004




Lithium battery 6 V

2000104846
EPRTR0008




Foil

2030049346
ASEV1005



Solenoid valve cartridge

2030045522
ACXX9002




Sensor, ID 01/00001

2030041447
ASEX1001




Aerator 6.0 l/min

2000104691
ASXX1015




Spare part set

2030042426
ASEX1011



Service set

2030049348
ASEV1006



O-ring, red

2030042439
ASEV1002



O-ring, blue

2030042440
ASEV1002