


KWC

F3E electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1022 Taps | Electronic taps



KWC-No.

2030036177

2030040224

with flow regulator 3.0 l/min

F3E bib tap DN 15 for wall mounting for sanitary facilities, opto-electronically controlled. For connection to pre-mixed hot or cold water. Control electronics, solenoid valve cartridge, 6 V lithium battery (CR-P2) and sensor in all-metal housing, high-polished ch romium-plated brass. Aerator with integrated flow regulator 3.0

volume flow rate at 3 bar

0.05 l/s

l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection and saving of statistical data. With option for parameterization and communication via optional, bidirectional remote control.

Technical Data

lechnical Data	
with backflow preventer	no
calculation flow rate cold wat	0.1 l/s
compatible A3000 open	no
default automatic hygiene flus	24h after the last activity
depressurised	no
with filter	yes
functional principle	electronic self-closing
hygiene flushing	yes
diameter nominal	DN 15
Locking mechanism	Top section, non-ceramic
material fitting	brass
minimum flow pressure	1 bar
type of mixing	no
number of batteries	1
Parameterization	remote control
Pop-up waste set	no
power supply connection	Battery 6 V
power consumption	1.5 Voltampere
Type of power supply	Battery
protective system IP	IP59K
with rosettes/cover plate	no
protective shutdown	yes
sound insulation	no
Spout	fixed




KWC

F3E electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1022 Taps | Electronic taps

spout projection	130 mm	
surface finish fitting	chromed	
surface treatment fitting	polished	
temperature limit	no	
thermal disinfection	automatic thermal disinfection	
with transformer/power supply	no	
type of batteries	CR-P2 Lithium battery 6V	
type of mounting	wall mounting	
type of operation	sensor operation	
type of sensor	opto-electronic sensor	
type of tap	bib tap	
volume flow rate at 3 bar	0.05 <i>l</i> /s	
water connection	threaded connection (external)	
Accent colour	none	
Basic colour	chrome-look (glossy)	

Optional Accessories



Bidirectional remote control for electronical fittings F3 and F5

2-button remote control for fittings F3 and F5


Extension adapter for F3E bib tap

2030036654 ACEX9005

2030036849 ACEX9004

2030043823 ACEV1001

Spare Parts





Solenoid valve cartridge

3.0 I/min. aerator

2030045522

2030041424



KWC

F3E electronic bib tap with battery operation

Modell-Linie: F3 | F3EV1022 Taps | Electronic taps

ACXX9002 ASXX1008		
	ACXX9002	ASXX1008